


DATASHEET

FTTH UP/AP Wall outlet kits

A product for last 100m's solution of FTTH




OMC INDUSTRY CO.LIMITED



FTTH UP/AP Wall outlet kits

Products Introduction



A product for last 100m's solution of FTTH


- High quality:
- IL<0.3dB(Max)
 - RL>50dB(UPC), 60dB(APC)
 - Max tensile load: 300N
 - Cross pressure: 500 N/dm

FTTH UP/AP Wall outlet kits included A Fiber faceplate ,A FTTH drop pigtail, A paper drum suit.

It assembled with FTTH Drop indoor cable/ FTTH Aerial Self-support Drop cable for installation in flush-mounted box and cable entry to the BEP (Building entry point) cable side BEP smooth cut for splicing. Packed in single carton.

The installer just need **Only one fiber splicing or one connector insertion to BEP(building entry point) cable, the fastest and the most labor cost-efficient solution in FTTH projects.** The user can get high speed optical network easily.

Products details



1, FTTH Drop indoor cable
Available for

- G657A1,G657A2/B2,G657B3,
- 1-2Fibers
- Black or White LSZH , Anti-UV
- 2.0x3.0mm Cable
- Pre-terminated SC and LC connectors


Dimension: 29x6.5cm



Hole for unroll the cable, The cable can be unrolled without additional help



Dimension: 33.5x30.5x10cm



2, FTTH Aerial Self-support Drop cable
Available for

- G657A1,G657A2/B2,G657B3,
- 1-2Fibers
- Black or White LSZH , Anti-UV
- 2.0x5.0mm Cable
- Pre-terminated SC and LC connectors



3, A 86x86x20mm Fiber Outlet,

- High flame retardant ABS material,
- OEM Logo can be printed.


4, Access port

- SC Simplex Adapter, Blue/Green, IL<0.2dB
- LC Duplex adapter, Blue/Green, IL<0.2dB
- SC Simplex Adapter with auto-shutter, Open outward Blue/Green, IL<0.2dB
- SC Simplex Adapter with auto-shutter, Open inward Blue/Green, IL<0.2dB
- LC Duplex adapter with auto-shutter, Open outward, Blue/Green, IL<0.2dB
- Blank cover cap




Installation of pigtail in fiber outlet


1, 1F Drop cable pigtail +adapter+
Fiber outlet SC port+Blank cover cap




2, 2F Drop cable pigtail +adapters+Fiber
outlet SC ports



3, 1F Drop cable pigtail +adapter+Fiber
outlet LC port+Blank cover cap



4, 2F Drop cable pigtail +adapter+
Fiber outlet LC ports+Blank cover cap



Order Index

N1	Connectors	Fiber Grade	Cable type	Cable Color	length
FTTH UP/AP Wall outlet kits	1=1x SCUPC	1=G657A1	1=FTTH Drop indoor cable	1=White	50=50m
	2=1x SCAPC	2=G657A2/B2		2=Black	.
	3=1x LCUPC	3=G657B3	2=FTTH Aerial Self-support Drop cable		.
	4=1x LCAPC				.
	5=2x SCUPC				.
	6=2x SCAPC				.
	7=1x SCUPC + 1x SCAPC				.
	8=1x LCUPC + 1x LCAPC				.
	9=2x LCUPC				.
	0=2x LCAPC				.