# **DATASHEET**

# Fiber splice protection box

# -Mechanical Splice Holder









#### **Product Introduction**

Fiber Splice protection box also called Mechanical Splice Holder, is kind of ABS box which used for FTTH project. It offer a fast and easy connection method for obsolete community and Remote countryside. The connection method is a flexible connection method.

#### 1 in 1 out Mechanical Splice Holder

Water-proof design with IP-45 Protection level
Straight-up splice with protective sleeve to be placed in the box.
Suitable for 40-60mm protective sleeves
High quality industrial anti-aging ABS plastic material.
Recommended for the wall embedded installation.
Suitable for FTTH indoor application
1 port cable entrance for drop cable or patch cable
Screw type, round shape, easy for installation and removal
UL94-V0 fire-retardant material can be customized as option.

### Configuration

Part NO	Material	Size	Max Capacity		Mounting Way	Package	Color
FSR-1R1	Industrial ABS	L*W(mm) 103*12	Splice 1 Core	Protective Sleeve 40- 60mm	Wall Embedded, Wall Mounted	PE bag or OEM	White



Part NO	Material	Size	Max Capacity		Mounting Way	Package	Color
FSR-1R2	Industrial ABS	L*W(mm) 80*10	Splice 1 Core	Protective Sleeve 40- 60mm	Wall Embedded, Wall Mounted	PE bag or OEM	White



Part NO	Material	Size	Max Capacity		Mounting Way	Package	Color
FSR-1S	Industrial ABS	L*W*H(mm) 85*18*11	Splice 1 Core	Protective Sleeve 40- 60mm	Wall Embedded, Wall Mounted	PE bag or OEM	White



#### **Product Introduction**

Fiber Splice protection box also called Mechanical Splice Holder, is kind of ABS box which used for FTTH project. It offer a fast and easy connection method for obsolete community and Remote countryside. The connection method is a flexible connection method.


#### 1 in 2 out Mechanical Splice Holder

Water-proof design with IP-45 Protection level
Straight-up splice with protective sleeve to be placed in the box.
Suitable for 40-60mm protective sleeves
High quality industrial anti-aging ABS plastic material.
Recommended for the wall embedded installation.
Suitable for FTTH indoor application
2 port cable entrance for drop cable or patch cable
Screw type, round shape, easy for installation and removal
UL94-V0 fire-retardant material can be customized as option.

# Configuration

Part NO	Material	Size	Max Capacity		Mounting Way	Package	Color
FSP-12R	Industrial ABS	L*W*H(mm) 85*18*11	Splice 2 Cores	Protective Sleeve 40- 60mm	Wall Embedded, Wall Mounted	PE bag or OEM	White

## Configuration



Part	NO	Material	Size	Max Capacity		Mounting Way	Package	Color
FSP-	·12S	Industrial ABS	L*W*H(mm) 100*30*20	Splice 2 Cores	Protective Sleeve 40- 60mm	Wall Embedded, Wall Mounted	PE bag or OEM	White



#### **Product Introduction**

Fiber Splice protection box also called Mechanical Splice Holder, is kind of ABS box which used for FTTH project. It offer a fast and easy connection method for obsolete community and Remote countryside. The connection method is a flexible connection method.

#### 2 in 2 out Mechanical Splice Holder

Water-proof design with IP-45 Protection level
Straight-up splice with protective sleeve to be placed in the box.
Suitable for 40-60mm protective sleeves
High quality industrial anti-aging ABS plastic material.
Recommended for the wall embedded installation.
Suitable for FTTH indoor application
2 port cable entrance for drop cable or patch cable
Screw type, round shape, easy for installation and removal
UL94-V0 fire-retardant material can be customized as option.

## Configuration





Part NO	Material	Size	Max Capacity		Mounting Way	Package	Color
FSP-22S	Industrial ABS	L*W*H(mm) 95*47*10	Splice 2 Cores	Protective Sleeve 40- 60mm	Wall Embedded, Wall Mounted	PE bag or OEM	White